

### June 2019 Spdtlight

#### **I-96 Construction**

Eastbound I-96 at Leonard Street was closed on Monday, June 10, for four and a half months. The Plainfield Avenue and Leonard Street exits will remain open for local traffic on eastbound I-96, but through-traffic will be detoured to southbound US-131 to eastbound I-196. The Michigan Department of Transportation is investing approximately \$40 million to reconstruct I-96 between Maryland Avenue and M-44 (East Beltline Avenue), including constructing two new bridges to reconfigure the I-96/I-196 M-44 interchange. The new configuration will create dedicated exit lanes from eastbound I-96 and I-196 to East Beltline Avenue. The first few days of the closure resulted in backups on I-96 and eastbound Leonard Street as travelers figured out alternative routes to their destination. The WMTOC control room operators (CRO) provided messaging on several dynamic message signs to alert travelers of the closure.

#### Festival of the Arts

The annual Festival of the Arts was held in Grand Rapids on Friday through Sunday, June 7-9. This year marked the 50th anniversary of the festival. Thousands of people gather in the city each year to enjoy music, food, and special events over the three-day festival. With construction occurring, the WMTCO CROs concentrated their efforts during the festival on monitoring and messaging for increased congestion on the eastbound I-196 ramp to Ottawa Avenue. With events of this magnitude, it is normal to see backups on the exit ramps, especially when there are local street closures near the freeway. Travelers were well-informed of the traffic conditions in and out of Grand Rapids for the duration of the event through alerts and messages sent out from the WMTOC.

#### **Events by Type**


Figure 1 shows events by type.

**Event:** An occurrence within the transportation operations center (TOC) coverage area that requires action or tracking.

**Unplanned Events:** An incident or other uncontrollable event that directly affects a Michigan Department of Transportation (MDOT) roadway. Unplanned events include Incidents (crashes, disabled vehicles and debris in the roadway) and other events (weather, congestion, and unclassified).

Planned Events: Events that are scheduled. These include construction, maintenance, and special events.

Of the 172 total events this month, 98 (57 percent) were classified as Incidents.



Construction season in Michigan began in April. With the beginning of this season, MDOT deployed several temporary portable changeable message signs (PCMS). This month there were 2,030 auto responses. Auto response events are created automatically based on slower than normal speeds for a period of time. Speeds are detected by several sources and the traffic management software sends pre-determined messages to dynamic message signs (DMS) and PCMS to alert motorists about traffic conditions ahead.

#### **Incidents by Detection Source**

Figure 2 provides information on detection sources.

Control room operators (CRO) rely on various sources to detect incidents that occur along the freeways. Noting the source ensures that the incident was detected by a reliable source and provides insight on which sources provide the most information.



Figure 2


#### Communication

Figure 3 shows communications displayed by type that are managed by CROs.


WMTOC tracks all incoming and outgoing communications to the control room. This includes phone calls, e-mails sent and received, and notifications sent to stakeholders.

CROs managed 1,392 communications this month. Of those communications, 895 (64 percent) were e-mails, including notifications, and 497 (36 percent) were phone calls.

The largest number of communications is with MDOT staff, which includes traffic operations, construction, maintenance, county road commission personnel, and other MDOT personnel.



#### **Device Locations**




### **DMS Messages by Type**

There were **155** "unique messages" displayed throughout the intelligent transportation systems network this month, as shown in **Figure 4**.

"Unique messages" include incidents, special events, congestion, weather, construction, or AMBER alerts.

Travel time messages are routinely displayed when unique messages are not active. Travel times are updated every three minutes.

## **Unique Messages**



#### **Field Device Availability**

The WMTOC tracks the availability of all system devices so that timely maintenance can occur. Reliability of the devices ensures that the operators have tools available to accurately provide traffic conditions to the motoring public. **Table 1** shows field device availability for this month.

| Device Type                        | Number of<br>Devices | Percent<br>Available |  |  |  |  |
|------------------------------------|----------------------|----------------------|--|--|--|--|
| Cameras                            | 71                   | 94%                  |  |  |  |  |
| DMS                                | 33                   | 94%                  |  |  |  |  |
| Microwave vehicle detection system | 132                  | 43%                  |  |  |  |  |
| Table 1                            |                      |                      |  |  |  |  |

#### **Work Zone Activities**

The WMTOC provides support for the transportation service centers (TSC) in the Grand Region during the construction season. Staff review entries for the region to ensure the information posted on Mi Drive is accurate and concise, and continually monitor work zone activities when possible with the ITS devices available. Operators also provide reports for MDOT projects to assist with coordination efforts throughout the region. **Figure 5** shows the total number of events entered for each TSC and the number of events for which the WMTOC provided direct support.




Figure 5

#### **Incidents on Key Routes**

**Table 2** indicates that **US-131** had the highest total number of incidents and the highest per mile rate in June. **I-96** had the longest incident duration for the month. The table shows incidents for high-volume roadways in the Grand Region.

|                                       |       | Ji                 | une 201               | 9                   |                    | June 201              | 3                   | Previou            | s <b>12-m</b> or      | ith Avg.            |
|---------------------------------------|-------|--------------------|-----------------------|---------------------|--------------------|-----------------------|---------------------|--------------------|-----------------------|---------------------|
| Route                                 | Miles | Total<br>Incidents | Incidents<br>Per Mile | Average<br>Duration | Total<br>Incidents | Incidents<br>Per Mile | Average<br>Duration | Total<br>Incidents | Incidents<br>Per Mile | Average<br>Duration |
| I-96, US-31 to M-50                   | 52    | 14                 | 0.3                   | 1:17                | 16                 | 0.3                   | 1:09                | 18.3               | 0.4                   | 0:58                |
| I-196, Blue Star Hwy to I-96          | 40    | 14                 | 0.4                   | 1:03                | 15                 | 0.4                   | 1:13                | 25.6               | 0.6                   | 0:47                |
| US-131, 84th St to Rockford Rest Area | 24.5  | 48                 | 2.0                   | 0:50                | 54                 | 2.2                   | 0:53                | 56.1               | 2.3                   | 0:47                |
| US-31, I-96 to M-120                  | 8     | 7                  | 0.9                   | 0:50                | 0                  | 0.0                   | 0:00                | 5.8                | 0.7                   | 1:15                |
| M-6, I-196 to I-96                    | 19    | 0                  | 0.0                   | 0:00                | 5                  | 0.3                   | 0:56                | 3.3                | 0.2                   | 0:57                |
| M-11, I-196 to I-96                   | 11.5  | 2                  | 0.2                   | 0:30                | 1                  | 0.1                   | 1:05                | 1.2                | 0.1                   | 0:40                |
| M-37/M-44, M-6 to West River Dr       | 15.5  | 5                  | 0.3                   | 0:24                | 4                  | 0.3                   | 1:05                | 3.3                | 0.2                   | 0:44                |

Table 2

**Table Key** 

Increase No Change Decrease

Data is compared to the same month of the previous year.

#### **Total Unplanned Incidents**

There were **98** total unplanned incidents this month; **80 percent** of these were high-impact incidents. A high-impact incident is one that results in a total freeway closure, a ramp closure, or a lane closure. Incident information is shown in **Figure 6**.




Figure 6

#### **High-Impact Incidents**

**Eighty-six percent** of high-impact incidents this month occurred along **US-131**. For most high-impact incidents, CROs provide e-mail notifications to stakeholders in the affected area. The notification includes the location of the incident, the degree of closure, the reason for the closure, and any other pertinent information related to traffic operations. See **Table 3**.

| Closure Type    | June 2019 | June 2018 | Previous 12 -<br>Month Avg |  |  |  |
|-----------------|-----------|-----------|----------------------------|--|--|--|
| Freeway Closure | 16        | 12        | 17.3                       |  |  |  |
| Lane Closure    | 62        | 64        | 82.7                       |  |  |  |
| Ramp Closure    | 0         | 0         | 0.0                        |  |  |  |
| Total           | 78        | 76        | 99.9                       |  |  |  |
| Table 3         |           |           |                            |  |  |  |

#### **Work Zone-Related Events**

There were 2 incidents identified by operators as being related to work zones during this month.

#### **Top Duration Incidents**


The longest-duration incident this month occurred on **US-121 at I-96**, which lasted **7 hours**, **34 minutes**. The average incident duration for June was **68 minutes**. See **Table 4**.

| Location                      | Date    | Duration | Details |
|-------------------------------|---------|----------|---------|
| US-131 at I-196               | June 3  | 7:34     | Crash   |
| US-131 after West River Drive | June 30 | 6:14     | Crash   |
| M-66 at US-10                 | June 10 | 4:19     | Crash   |
| I-196 after Fuller Avenue     | June 18 | 3:48     | Crash   |
| I-96 after 88th Avenue        | June 19 | 2:47     | Crash   |
|                               | Table 4 |          |         |

# **Total Incidents per Weekday Hour**

The WMTOC operates 24 hours per day, 7 days per week. The WMTOC is staffed locally during peak traffic hours, typically 6 a.m. to 8 p.m. Operations are transferred to the Statewide Transportation Operations Center during off-peak hours.

During the month of June, **3 p.m.** had the largest hourly number of incidents. Historically, **8 a.m.** has the greatest number of incidents in the Grand Region. **Figure 7** shows **incidents** for weekdays for this month.




#### **Incident and Roadway Clearance Times**

MDOT shares a goal with local first responders to clear incidents from the roadway as quickly as possible. Reducing overall incident clearance times limits the risk to travelers and responders on scene. Effective response and clearance improves safety for motorists as well as first responders. MDOT's goal is to minimize delays caused by incidents as well as the occurrences of secondary incidents.

Roadway clearance time: The time between the awareness of an incident and confirmation that all lanes are open to traffic.

**Incident clearance time:** The time between the awareness of an incident and when all involved vehicles are removed from the scene.

**Figure 8** shows a breakdown of the number of incidents in each time to clear bracket. **Figure 9** illustrates the average roadway and incident clearance times for the month.



### **Secondary Crashes**

Out of the 90 total crashes this month, 4 percent were Secondary Crashes as observed by WMTOC CROs.

# Freeway Hot Spots

#### Crash Hot Spot and Most Used DMS Activity

**Figure 10** shows areas where the greatest number of crashes occurred in the reported month. The shading starts with green for fewer crashes, then transitions to yellow for a moderate number of crashes, and finally to red for the highest number of crashes based on the total crashes that occurred. The top five most used DMS are also depicted on the map. The direct correlation can be seen between the areas of most crashes to DMS utilization.




Figure 10